

LED WALL SCONCE PANEL LIGHTS

SEARCH CODE: SC9439



FEATURES:

- Multi Power and Color selectable: 3000K, 3500K, and 4000K (Selectable Switch on Back of Fixture)
- Soft And Wide Edge-lit Illumination
- No Infrared Rays, No Ultraviolet Radiation, No Thermal Effect
- Dimmable: 0~10V Dimming
- Lens Options: Clear
- Beam Angle: 360°
- Aluminum Housing, White Finish

APPLICATION:

- Offices
- Hotels
- Retail Stores
- Restaurant
- Conference room

WARRANTY & LISTINGS:

- 5-year warranty
- UL Listed
- IP20
- 50,000 Hours Rated Life

ELECTRICAL:

- Voltage: 120-277VAC 50/60Hz
- Power factor: >0.90
- Operating Temperature: -17°C to 40°C (0°F - 113°F)
- Fixture Operating Voltage: 36VDC
- Color Rendering Index: CRI ≥ 80
- Efficacy 85LPW
- Required Mounting and fasteners provided

ACCESSORIES:

- Emergency Battery Backup

SPECIFICATIONS:


Product Code	Wattage	Lumens	Mount	Size	Accessories
WDPS-12-MW-MCT	Max Wattage 20W	1700LM	Wall Mount	12" x 10"	As is
WDPS-12-MW-MCT-EM	Max Wattage 20W	1700LM	Wall Mount	12" x 10"	Emergency Battery Back-Up
WDPS-18-MW-MCT	Max Wattage 20W	1700LM	Wall Mount	18" x 10"	As is
WDPS-18-MW-MCT-EM	Max Wattage 20W	1700LM	Wall Mount	18" x 10"	Emergency Battery Back-Up
WDPS-48-MW-MCT	Max Wattage 40W	3400LM	Wall and Suspension Mount	48" x 10"	As is
WDPS-48-MW-MCT-EM	Max Wattage 40W	3400LM	Wall and Suspension Mount	48" x 10"	Emergency Battery Back-Up

LED WALL SCONCE PANEL LIGHTS


SEARCH CODE: SC9439




DIMENSIONS: WDPS-12



PHOTOMETRICS: WDPS-12




BUD Rating: B2-U2-G1




Simulation Based on 4000K Area 50'x 50' Mounting Height: 9'


DIMENSIONS: WDPS-18



PHOTOMETRICS: WDPS-18



BUD Rating: B2-U2-G1




Simulation Based on 4000K Area 50'x 50' Mounting Height: 9'

LED WALL SCONCE PANEL LIGHTS


SEARCH CODE: SC9439




DIMENSIONS: WDPS-48



PHOTOMETRICS: WDPS-48



BUD Rating: B2-U2-G1



Simulation Based on 4000K Area 50' x 50' Mounting Height: 9'