Turtle Friendly Area Lights
Search Code: SC108994

SUPERIOR LIGHTING
energy saving LED lights

0-10V DIMMABLE | WET RATED | UL LISTED | WATTAGE SELECTABLE | TURTLE SAFE

Purpose Built for Turtle-Friendly Coastal Lighting

Designed specifically for beachfront and environmentally sensitive areas, the Superior Lighting Turtle-Friendly Amber LED Area Light emits a 590nm amber wavelength that helps reduce disturbance to nesting sea turtles and other protected wildlife.

Its rugged die-cast aluminum construction, multiple mounting options, and selectable wattage make it an ideal solution for coastal parking lots, boardwalks, hotels, marinas, and pedestrian pathways.



FEATURES

- *Turtle-Friendly 590nm Amber Light.*
- *Wattage Selectable: Built-in power selector allows you to choose 120W / 95W / 80W / 65W. Providing installation flexibility while reducing inventory requirements. Factory default setting is the maximum wattage.*
- *Heavy Duty Aluminum Housing: Rugged die-cast aluminum construction with a durable powder coated finish.*
- *Moisture Sealed Construction: Fully sealed housing helps protect internal components from moisture, dust, and environmental contaminants for reliable long term outdoor operation.*
- *Low EPA & 3G Vibration Rated: Compact, low-profile design minimizes wind loading while providing enhanced durability for demanding outdoor installations.*
- *Multiple Mounting Options: Available with Wall Mount, Slipfitter, Trunnion, and Adjustable Pole Arm.*

WARRANTY & LISTINGS

- *Warranty: 5 years (50,000 operational hours)*
- *Wet Location Rated*
- *Turtle Safe*
- *UL Listed*

ELECTRICAL

- *Available in 120W / 95W / 80W / 65W configurations with the highest wattage selected by default.*
- *Input Voltage: Universal 120–277VAC, 50/60Hz for commercial and industrial installations.*
- *0–10V Dimming: Compatible with standard 0–10V dimming systems for smooth brightness control.*
- *10kV Surge Protection: Integrated surge protection helps safeguard the fixture against voltage spikes and electrical disturbances.*
- *Operating Temperature: -40°F to 113°F (-40°C to 45°C).*
- *Power Factor: ≥0.95.*
- *Total Harmonic Distortion (THD): ≤20%*

ACPPLICATIONS

- *Beachfront Parking Lots.*
- *Hotels & Resorts.*
- *Marinas & Waterfront Properties.*
- *Public Beach Access Areas.*

ORDERING INFORMATION

Product Code	Mount Type	Wattage	Lumens
TAL120MW-AMB-BZ-APM	Adjustable Pole Mount	Selectable 120/95/80/65 Watt	MAX 3,120LM
TAL120MW-AMB-BZ-SF	Slipfitter Mount	Selectable 120/95/80/65 Watt	MAX 3,120LM
TAL120MW-AMB-BZ-TR	Trunnion Mount	Selectable 120/95/80/65 Watt	MAX 3,120LM
TAL120MW-AMB-BZ-WM	Wall Mount	Selectable 120/95/80/65 Watt	MAX 3,120LM

Turtle Friendly Area Lights
Search Code: SC108994

SUPERIOR LIGHTING
energy saving LED lights

MOUNTING OPTIONS


Adjustable Pole Mount


Slipfitter Mount


Trunnion Mount


Wall Mount


WATTAGE SELECTABLE



Power Select Technology

Size	Power Selection	Default Setting
Size 1	Adjust power between 120/95/80/65W	120W


120W ADJUSTABLE POLE MOUNT




Turtle Friendly Area Lights
Search Code: SC108994

SUPERIOR LIGHTING
energy saving LED lights

120W SLIPFITTER MOUNT



120W TRUNNION MOUNT



Turtle Friendly Area Lights
Search Code: SC108994

SUPERIOR LIGHTING
energy saving LED lights

120W WALL MOUNT

